





OG8107/P - Lincat Opus 800 Propane Gas Freestanding Single Tank Fryer - 2 Baskets - W 600 mm - 30.0 kW

The incredibly accurate Opus 800 Single-Tank Free Standing Gas Fryer is equipped with an accurate thermostatic control system, which goes up to 190°C — ensuring consistent results and safe operation.

- Accurate thermostatic control up to 190°C for consistent results and safe operation
- Convenient piezo ignition

Externally fired heating gives easy access for cleaning tanks

Summary		Power and Performance	
Brand	Lincat	BTU per Hour	102,360
Range	Opus 800	Total Power kW	30.0
Power Type	Gas	Temperature Range °C	90-190
Gas Type	Propane Gas	Temperature Control	Mechanical
Unit Type	Free-standing		
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105103080		
Key Specifications		Capacity	

Key Specifications		Capacity	
Number of Baskets	2	Product Output per Hour	22kg chips - 12mm [frozen], 32kg chips -
Number of Tanks	1	r roddet Output per riodi	12mm[chi
Gravity Filtration	No	Capacity Litres	25.0
Pumped Filtration	No		
Drain Location	Through the hody		

Weights and Dimensions		Supply Connections	
Unit Height (External) mm	1020	Requires Installation	Yes
Unit Width (External) mm	600	Requires Electrical Supply	No
Unit Depth (External) mm	800	Gas Connection BSP	1/2"
Net Weight Kg	113.5	Gas Consumption at full rate Propane m³ per Hour	2.14
		Gas Pressure Propane mbar	37.0
		Total heat input at full rate Propane kW	30.0
		Total heat input at full rate Propane BTU per hour	102,364

Shipping

Packed Weight Kg	124.85
Packed Height cm	122
Packed Width cm	70
Packed Depth cm	85

Available Accessories

BA159	WIRE BASKET	
LK02	OPUS 350 LEG KIT	
OA8955	SPLASHGUARD FRYERS - OPUS 800	







Available Accessories


OF2

Oil filter kit - size 2

Technical Picture













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm



Product Code: 0G8107/P Page Number: 3 Print Date: 22/08/2022