





ECO9 - Lincat Electric Counter-top Convection Oven - W 766 mm - D 840mm - 7.5 kW Bake off everything from pies, pastries, pizzas roasts, pizzas, bakery products to baking off chilled or frozen convenience bakery products easily and efficiently with this powerful 7.5kW Lincat Electric Convection Oven.

- The larger and more powerful EC09 is perfect for baking off chilled or frozen convenience bakery products.
- The excellent twin fan air circulation system delivers a highly efficient air circulation ensuring consistent and even cooking and faster cooking times.
- Accommodates 1/1GN containers for convenient operation. Adjustable shelf supports to accept 600mm x 400mm standard baking trays
- Fast heat up from cold saves time and money and fast recovery times

- Water injection facility gives a professional finish to breads and pastries. The useful cook and hold facility reduces oven temperature to 80 degs C at end of cooking period.
- Double-glazed door for energy efficiency
- Stackable for added flexibility and to make the best of use of floorspace.
- Robust stainless steel construction

Specifications

Specifications			
Summary		Power and Performance	
Brand	Lincat	Total Power kW	7.5
Range	Specialist	Temperature Range °C	50-300
Power Type	Electric	IP Rating	IP23
Unit Type	Counter-top	Controls Position	Right hand side
Available in UK Only	No	Temperature Control	Mechanical
UK Warranty	2 Years Parts and Labour Warranty	Timer Range mins	1-45; 1-180
Export Warranty	Contact your local dealer	Oven Rating kW	7.5
GTIN	5056105101680		





Key Specifications Cap

Stackable Yes

Feet Height/Type 25mm/adjustable

Continuous Plug-In Door Seal

Removable Inner Door Glass

Handle Type

Vented Door

Reversible Door

Door Type

Yes

Yes

Pendulum

No

 Door Type
 Left Hinged

 Phased Cooking
 No

 Shelf Timer(s) (Number)
 No

 Grill Element/Mode
 No

 Core Temp Probe
 No

 Steam Injection
 Yes

Fan(s) Speed 1
Fan(s) Type S

Fan(s) Type Single Direction

Number of Fan(s) 2

Euronorm Compatible Yes

Sheet Pan Compatible Yes

Timer Type 2 x Mechanical

Number of Shelves included 4 Number of Shelf Positions 4

Type of Lighting Filament Bulb

Construction/Finish 430 S/S exterior/cavity

GN Compatible Yes

Weights and Dimensions

Capacity

 Gastronorm Capacity
 4 x GN1/1

 Euronorm Capacity
 3

 Shelf Spacing mm
 110

Sheet Pan Capacity 4 x 460 mm x 330 mm

Capacity Litres 170.0

Unit Height (External) mm 652 Requires Installation Yes Unit Width (External) mm 766 **Requires Electrical Supply** Yes Unit Depth (External) mm 840 **UK 3 Pin Plug** No Height (Internal) mm **Requires Hardwiring** 510 Yes **Electrical Supply Rating Watts** Width (Internal) mm 480 7,500 Depth (Internal) mm Single Phase Amps 700 32 6 Single Phase Voltage Shelf Dimensions Width mm 530 230 Shelf Dimensions Depth mm Three Phase Amps L1=6.7; L2=13.0; L3=13.0 Net Weight Kg 95.9 Three Phase Voltage 400 **Water Connection Pressure Bar** 0.2-10.0 **Drain Connection** 3/4" BSPT **Water Connection USB Port** No

Supply Connections

Available Accessories

Shipping

Packed Weight Kg

Packed Height cm

Packed Width cm

Packed Depth cm

ECO9/FS ECO9 FLOORSTAND

ECO9/FSBT ECO9 FLOORSTAND FOR BAKING TRAYS

 ECO9/LFS
 EC09 LOW FLOORSTAND

 ECO9/SK
 EC09 STACKING KIT

100.6

73


94.5


90


Technical Picture













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm