



ECG6 - Lincat Silverlink 600 Electric Counter-top Chargrill - W 600 mm - 8.0 kW

Create that distinctive chargrilled flavour and branded appearance without the need for messy lava rocks with the Silverlink 600 Electric Chargrill.

- ✔ Offers the authentic taste and branded appearance of chargrilled food without the need for lava rock
- ✔ High heat retention of cast iron grids means there is no waiting for the grill to recover to cooking temperature
- ✔ The water bath keeps food succulent and reduces shrinkage, while the high heat retention cast iron grids ensure your output stays high throughout operation
- ✔ Hinging interlocked elements and integral water bath makes cleaning easier
- ✔ Integral splashguard with water funnel enables refilling of tank without cooling the cooking grid
- ✔ High temperature safety cut out for protection if water bath runs dry

Specifications

Summary		Power and Performance	
Brand	Lincat	Total Power kW	8.0
Range	Silverlink 600	IP Rating	IP23
Power Type	Electric	Cooking Area (Width x Depth) mm	470 x 400
Unit Type	Counter-top	Temperature Control	Mechanical
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105104698		

Key Specifications		Capacity	
Number of Heat Zones	1	Product Output per Hour	70 x 225g [8oz] steaks [chilled], 90 x 115g [4oz]

Weights and Dimensions		Supply Connections	
Unit Height (External) mm	385	Requires Installation	Yes
Unit Width (External) mm	600	Requires Electrical Supply	Yes
Unit Depth (External) mm	620	UK 3 Pin Plug	No
Net Weight Kg	29.8	Requires Hardwiring	Yes
		Electrical Supply Rating Watts	8,000
		Single Phase Amps	34.8
		Single Phase Voltage	230
		Three Phase Amps	L1=11.6; L2=11.6; L3=11.6
		Three Phase Voltage	400

Shipping	
Packed Weight Kg	32.78
Packed Height cm	59.5
Packed Width cm	70
Packed Depth cm	70




Available Accessories

- CC6** Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 600 mm
- CN6** Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 600 mm

Available Accessories

- HC6** Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 600 mm - 0.5 kW
- HCL6** Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 600 mm - 0.5 kW
- SLS6** Lincat Silverlink 600 Free-standing Floor Stand - for units W 600 mm

Technical Picture





Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm